	·	Туре	L #	Hits	Search Text	DBs
1		BRS	L1	594	399/302.ccls.	USPAT; US-PGF UB
2		BRS	L2	355	399/308.ccls.	USPAT; US-PGP UB
3		BRS	L3	207	2 not 1	USPAT; US-PGP UB
4		BRS	L4	582	399/303,313.ccls.	USPAT; US-PGP UB
5]	BRS	L5	488	4 not (1 or 2)	USPAT; US-PGP UB
6	E	3RS	L6	312	399/162,165.ccls.	USPAT; US-PGP UB
7	E	BRS	L7	274	6 not (1 or 2 or 4)	USPAT; US-PGP UB
8	В	RS	L8	748	399/159.ccls.	USPAT; US-PGP UB
9	В	ŖS :	L9	715	8 not (1 or 2 or 4 or 6)	USPAT; US-PGP UB
10	BI	RS I	L10	751	399/111,121.ccls.	USPAT; US-PGP UB
11	BF	≀S I	L11 (580	3)	USPAT; US-PGP UB
12	BR	ls L	12 11،	.23 1	198/804.ccls.	USPAT; US-PGP UB

	Туре	L #	Hits	Search Text	DBs
13	BRS	L13	122	12 not (1 or 2 or 4 or 6 or 8 or 10)	USPAT; US-PGP UB
14	BRS	L14	341	156/137.ccls.	USPAT; US-PGP UB
15	BRS	L15	336	14 not (1 or 2 or 4 or 6 or 8 or 10 or 12)	USPAT; US-PGP UB
16	BRS	L16	7656	((adhesi\$2 or adher\$3) near3 (tape\$1 or layer\$1)) and ((meander\$3 or tension\$3 or rim\$4 or guid\$4) same (belt\$1 or intermedia\$2))	USPAT; US-PGP UB
17	BRS	L17	650	16 and 399/\$3.ccls.	USPAT; US-PGP UB
18	BRS	L18	466	17 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14)	USPAT; US-PGP UB
19	BRS	L19	7006	16 not 17	USPAT; US-PGP UB
20	BRS	L20	724	19 and (pressure adj1 sensitive adj1 adhe\$4)	USPAT; US-PGP UB
21	BRS	L21	518	20 and thickness	USPAT; US-PGP UB
22	BRS	L22	80	21 and hardness	USPAT; US-PGP UB
23	BRS	L23	438	21 not 22	USPAT; US-PGP UB
24	BRS	L24		g03g015/16.ipc. or g03g015/00.ipc. or g03g021/00.ipc.	EPO; JPO

	Туре	ъ#	Hits	Search Text	DBs
25	BRS	L25		(adhe\$4 near3 (tape\$1 or layer\$1)) and (meander\$3 or tension\$3 or rim\$4 or guid\$4) and (belt\$1 or intermedia\$2)	EPO; JPO
26	BRS	L26	37	24 and 25	EPO; JPO
27	BRS	L27	247	25 not 26	EPO; JPO